


TYPE EVPP-D01




Technical Data		TYPE EVPP-D01	
		Vacuum	Pressure
Nominal displacement	l/m	40	40
Ultimate vacuum/pressure	bar	-0,88	+1,4
Motor power	W	95	130
Rotation speed @50Hz	rpm	1450	1390
Weight	kg	3,5	3,5
Noise (at ultimate pressure)	dB(A)	54	55
Admissible ambient temp.	°C	-5 to 40	-5 to 40
Connections	G(BSP)	1/4"	1/4"
Dimensions LxWxH	mm	174x91x143	174x91x143

Ordering Information	EVPP-D01	
EVPP-D01 with 230V, 50Hz motor	670.010	675.010
Damper G1/4"	670.900	
Accessories	See accessories page	

TYPE EVPP-D01-DC


Available in 12Volt DC and 24Volt DC



Technical Data		TYPE EVPP-D01-DC	
		Vacuum	Pressure
Nominal displacement	l/m	48	48
Ultimate vacuum/pressure	bar	-0,9	+2,0
Motor power	W	120	145
Rotation speed	rpm	1800	1700
Weight	kg	3,5	3,5
Noise (at ultimate pressure)	dB(A)	53	55
Admissible ambient temp.	°C	-5 to 40	-5 to 40
Connections	G(BSP)	1/4"	1/4"
Dimensions LxWxH	mm	174x91x143	174x91x143

Ordering Information	EVPP-D01-DC	
EVPP-D01 with 12 V DC motor	670.110	675.110
EVPP-D01 with 24 V DC motor	670.210	675.210
Damper G1/4"	670.900	
Accessories	See accessories page	

TYPE EVPP-D02




Technical Data		TYPE EVPP-D02	
		Vacuum	Pressure
Nominal displacement	l/m	81,7	81,7
Ultimate vacuum/pressure	bar	-0,92	+2,0
Motor power	W	210	300
Rotation speed @50Hz	rpm	1450	1400
Weight	kg	6,5	6,5
Noise (at ultimate pressure)	dB(A)	62	65
Admissible ambient temp.	°C	-5 to 40	-5 to 40
Connections	G(BSP)	1/4"	1/4"
Dimensions LxWxH	mm	233x101x164	233x101x164

Ordering Information	EVPP-D02	
EVPP-D02 with 230V, 50Hz motor	670.020	675.020
Damper G1/4"	670.900	
Accessories	See accessories page	

TYPE EVPP-D02-DC

Available in 12Volt DC and 24Volt DC



Technical Data		TYPE EVPP-D02-DC	
		Vacuum	Pressure
Nominal displacement	l/m	102	102
Ultimate vacuum/pressure	bar	-0,92	+2,0
Motor power	W	210	370
Rotation speed	rpm	1800	1750
Weight	kg	6,5	6,5
Noise (at ultimate pressure)	dB(A)	60	65
Admissible ambient temp.	°C	-5 to 40	-5 to 40
Connections	G(BSP)	1/4"	1/4"
Dimensions LxWxH	mm	233x101x164	233x101x164

Ordering Information	EVPP-D02-DC	
EVPP-D02 with 12 V DC motor	670.120	675.120
EVPP-D02 with 24 V DC motor	670.220	675.220
Damper G1/4"	670.900	
Accessories	See accessories page	